## 2024 SFI Recertification Periods Overview (Europe)

	Product Description	Recertification Period						
Spec.		Germany (= FIA Rules) Sweden		UK		France		
·		All classes	Advanced ET, FC & TF	All other classes (7,50 & slower)	7,50 & quicker & Comp Classes with prefix A or B	All other classes	All classes	
1.1	Single Disc Clutch & Flywheel Assembly	4 years	N/A	N/A	2 years	4 years	5 years	
1.2	Multiple Disc Clutch Assemblies for Vehicles with naturally Aspirated Engines	4 years	4 years	4 years	2 years	4 years	5 years	
1.3	Nitro-Methane Drag Race Multiple Disc Clutch assemblies	2 years	2 years	4 year	1 year	1 year	1 year	
1.4	Methanol Drag Race Multiple Disc Clutch Assemblies	2 years	2 years	4 year	1 year	1 year	1 year	
1.5	Multiple Disc Clutch Assemblies for Supercharged, Nitrous- Oxide-injected, and Turbocharged Vehicles	2 years	2 years	4 year	1 year	1 year	1 year	
2.1	Rear-Engine Dragster Roll Cage – 5.99 Seconds & Quicker, TM/D (includes Wing and Rear- End Mounting)	N/A	3 years <sup>1)</sup>	3 years <sup>1)</sup>	N/A	N/A	1 year	
2.2	Front-Engine Dragster Roll Cage - 5.99 Seconds & Quicker, TM/D	N/A	3 years <sup>1)</sup>	3 years <sup>1)</sup>	N/A	N/A	1 year	
2.3	Rear-Engine Dragster Chassis Spec, TF (include Wing and Rear-End Mounting)	N/A	3 years <sup>1</sup>	3 years <sup>1)</sup>	N/A	N/A	1 year	
2.4	Front-Engine Dragster Roll Cage – 6.00 to 7.49 Seconds	N/A	3 years <sup>1)</sup>	3 years <sup>1)</sup>	3 years	3 years	5 years	
2.5	Rear-Engine Dragster Roll Cage – 6.00 to 7.49 Seconds	N/A	3 years <sup>1)</sup>	3 years <sup>1)</sup>	3 years	3 years	5 years	
2.6	Front-Engine Dragster Roll Cage – 7.50 Seconds & slower	N/A	3 years <sup>1)</sup>	3 years <sup>1)</sup>	N/A	3 years	5 years	
2.7	ET Rear-Engine Dragster Roll Cage – 7.50 Seconds & slower	N/A	3 years <sup>1)</sup>	3 years <sup>1)</sup>	N/A	3 years	5 years	
3.2A/1	Drivers Suits	N/A	N/A	N/A	N/A	N/A	N/A	
3.2A/5	Drivers Suits	N/A	N/A	N/A	N/A	N/A	N/A	
3.2A/15	Drivers Suits	N/A	N/A	N/A	5 years incl. the year dis-played on tag	5 years incl. the year dis-played on tag	5 years incl. the year dis-played on tag	
3.2A/20	Drivers Suits	N/A	N/A	N/A	5 years incl. the year dis-played on tag	5 years incl. the year dis-played on tag	5 years incl. the year dis-played on tag	
3.3	Arm Restraints, Hoods/Balaclavas, Socks, Underclothing, Sports Bras, Harness Pads, Helmet Supports	N/A	N/A	N/A	N/A	N/A	N/A	
3.3/1	Gloves, Shoes	N/A	N/A	N/A	N/A	N/A	N/A	
3.3/10	Helmet skirt, Gloves	N/A	N/A	N/A	N/A	N/A	N/A	
3.3/5	Helmet skirt, Gloves, Shoes, Boots	N/A	N/A	N/A	N/A	N/A	N/A	
3.3/15	Gloves, Boots	N/A	N/A	N/A	N/A	N/A	N/A	
3.3/20	Gloves, Boots	N/A	not mentioned	not mentioned	N/A	N/A	N/A	
4.1	Automatic Transmission Shield; rigid	5 years	5 years	8 years	5 years	5 years	5 years	
4.1	Automatic Transmission Shield; flexible	5 years	5 years	5 years	5 years	5 years	5 years	
6.1	Containment Bellhousing for SFI 1.1 & 1.2 Clutch Assemblies for limited normally-aspirated applications, and forced induction applications with torque converters	Bellhousing must be recertified according to the manufacturer Sticker on the Bellhousing	5 years	5 years	5 years	Bellhousing must be recertified according to the manufacturer Sticker on the Bellhousing	Bellhousing must be recertified according to the manufacturer Sticker on the Bellhousing	

	Product Description	Recertification Period						
Spec.		Germany (= FIA Rules)	Sweden		UK		France	
		All classes	Advanced ET, FC & TF	All other classes (7,50 & slower)	7.50 & quicker & Comp Classes with prefix A or B	All other classes	All classes	
6.1W	Passenger Car Replacement Containment Bellhousing with adjustable Clutch Window for SFI 1.1 & 1.2 Clutch Assembly- lies for limited normally- aspirated applications, and forced induction applications with torque converters	Bellhousing must be recertified according to the manufacturer Sticker on the Bellhousing	2 years	2 years	2 years	Bellhousing must be recertified according to the manufacturer Sticker on the Bellhousing	Bellhousing must be recertified according to the manufacturer Sticker on the Bellhousing	
6.2	Containment Bellhousing for SFI 1.3 & 1.4 Clutch Assemblies for Nitro-Methane, Top Methanol	Bellhousing must be recertified according to the manufacturer Sticker on the Bellhousing	2 years	2 years	2 years	Bellhousing must be recertified according to the manufacturer Sticker on the Bellhousing	Bellhousing must be recertified according to the manufacturer Sticker on the Bellhousing	
6.3	Containment Bellhousing for SFI Clutch Assemblies for supercharged and nitrous oxide applications	Bellhousing must be recertified according to the manufacturer Sticker on the Bellhousing	2 years	2 years	2 years	Bellhousing must be recertified according to the manufacturer Sticker on the Bellhousing	Bellhousing must be recertified according to the manufacturer Sticker on the Bellhousing	
7.1	Lower Engine Containment Device	N/A	N/A	N/A	5 years	N/A	5 years	
7.2	Sportsman Lower Engine Containment Device	N/A	N/A	N/A	5 years	N/A	5 years	
9.1	Sport Compact Bellhousing Blanket	5 years	N/A	8 years	5 years	5 years	not mentioned	
10.1	Funny Car Roll Cage (TM/FC, Advanced ET, etc.)	N/A	3 years <sup>1)</sup>	3 years <sup>1)</sup>	3 years	3 years	1 year	
10.2	Altered Car Roll Cage, 6.00 to 7.49 Seconds	N/A	3 years <sup>1)</sup>	3 years <sup>1)</sup>	3 years	3 years	5 years	
10.3	Altered Car Roll Cage, 7.50 Seconds and slower	N/A	3 years <sup>1)</sup>	3 years <sup>1)</sup>	3 years	3 years	5 years	
10.4	Side Steer Roadster Roll Cage - 7,50 Seconds & slower	N/A	3 years <sup>1)</sup>	3 years <sup>1)</sup>	3 years	3 years	5 years	
10.5	Fuel Funny Car Roll Cage Chassis – 4.99 Seconds and quicker	N/A	not mentioned	not mentioned	N/A	N/A	1 year	
14.1	Supercharger Restraint (Roots); ET, Adv. ET	4 years	N/A	N/A	4 years	4 years	5 years	
14.2	Supercharger Restraint (Roots); P/M, TM/D, TM/FC, FC	4 years	N/A	N/A	4 years	4 years	4 years	
14.21	Supercharger Restraint (Screw type); Adv. ET, TM/D, TM/FC	4 years	N/A	N/A	4 years	4 years	4 years	
14.3	Supercharger Restraint (Roots); TF	4 years	not mentioned	not mentioned	4 years	4 years	4 years	
14.4	Valve Cover Restraint	4 years	not mentioned	not mentioned	4 years	4 years	4 years	
14.5	Manifold Blankets	4 years	not mentioned	not mentioned	4 years	5 years	5 years	
15.1	Drive Wheels	N/A	N/A	N/A	N/A	N/A	N/A	
15.2	Front wheels; FC, TF	N/A	N/A	N/A	N/A	N/A	N/A	
15.3	High Horsepower Rear-drive wheels	4 years	N/A	N/A	4 years	4 years	2 years	
15.4	Rear-Drive Bead Lock Wheels; FC, TF	2 years	not mentioned	not mentioned	1 year	1 year	1 year	
16.1	Driver Restraint System	2 years	4 years	4 years	2 years	2 years	5 years	
16.2	Restraint Assemblies for youth Drivers	2 years	N/A	10 years	2 years	2 years	not mentioned	
16.5	Driver Restraint System	2 years	4 years	4 years	2 years	2 years	5 years	
16.6	Advanced Motorsport Restraint Assemblies	2 years	not mentioned	not mentioned	2 years	2 years	not mentioned	
17.1	On-board Fire Suppression Systems	2 years	2 years	2 years	2 years	2 years	2 years	
18.1	Harmonic Balancer	N/A	N/A	N/A	N/A	N/A	N/A	
23.1	Manifold Burst Panel	N/A	N/A	N/A	2 years	N/A	N/A	

			d				
Spec.	Product Description	<b>Germany</b> (= FIA Rules)	Sweden		UK		France
		All classes	Advanced ET, FC & TF	All other classes (7,50 & slower)	7.50 & quicker & Comp Classes with prefix A or B	All other classes	All classes
25.1	Full-Body Chassis; Adv. E.T, P/M, PS – 7.49 Seconds and quicker, 2,800 lbs max.	N/A	3 years <sup>1)</sup>	3 years <sup>1)</sup>	3 years	3 years	3 years
25.2	Full-Bodied Car Tube Chassis Roll Cage – 6.00 to 7.49 Seconds; 3,200 lbs. max.	N/A	3 years <sup>1)</sup>	3 years <sup>1)</sup>	3 years	3 years	5 years
25.3	Full-Bodied Car with Aftermarket Body Shell and Tube Frame, OEM Body Shell and OEM Frame with OEM or modified Floor pan and fire-wall, or Uni- Body with OEM or modified floor-pan and firewall Roll Cage - 6.50 to 7.49 Seconds; 3,600 lbs. max.	N/A	3 years <sup>1)</sup>	3 years <sup>1)</sup>	3 years	3 years	5 years
25.4	Full-Bodied Car Tube Chassis Roll Cage - 7.50 to 8.49 Seconds; 3,600 lbs. max.	N/A	N/A	3 years <sup>1)</sup>	3 years	3 years	5 years
25.5	Full-Bodied Car Stock or Modified/OEM Floor pan and Firewall with OEM Frame or Uni- Body Construction - 7.50 to 8.49 Seconds; 3,600 lbs. max.	N/A	N/A	3 years <sup>1)</sup>	3 years	3 years	5 years
25.6	Full-Bodied Car Stock / Truck or Modified/OEM Floor pan and Firewall with OEM Frame or Uni- Body Construction – 7.99 to 8.49 Seconds; 5,000 lbs. max.	N/A	not mentioned	not mentioned	3 years	3 years	not mentioned
27.1	Window Net (Mesh or Ribbon)	N/A	N/A	N/A	4 years	N/A	5 years
28.1	Fuel Cell	N/A	N/A	N/A	N/A	N/A	N/A
28.2	Crash Resistant Fuel Cell	N/A	not mentioned	not mentioned	not mentioned	not mentioned	not mentioned
28.3	Competition Fuel Cell Bladder	5 years	not mentioned	not mentioned	not mentioned	not mentioned	not mentioned
29.1	Automatic Transmission Flex- plate	3 years	10 years	N/A	3 years	3 years	5 years
29.2	High-Horsepower Automatic Transmission Flex plate	3 years	3 years	N/A	3 years	3 years	3 years
29.3	Automatic Transmission Flex- plate for Diesel Applications Automatic Transmission Flex-	3 years	not mentioned	not mentioned	not mentioned	not mentioned	5 years
30.1	plate Shield	5 years	5 years	N/A	5 years	5 years	5 years
34.1	Supercharger, Screw Type	3 years	3 years	3 years	3 years	3 years	5 years
38.1	Head and Neck Restraint Systems	5 years	N/A	N/A	5 years	5 years	5 years
42.1	Steering Wheel - Quick Disconnect / Release	N/A	N/A	N/A	N/A	N/A	N/A
43.1	Driveshaft	N/A	not mentioned	not mentioned	N/A	N/A	N/A
45.1	Roll Bar / Roll cage Padding	N/A	N/A	N/A	N/A	N/A	N/A
45.2	Impact Padding/Head Surround	N/A	N/A	N/A	not mentioned	not mentioned	N/A
49.1	Top Fuel Rear Wing Assembly	5 years	not mentioned	not mentioned	4 years	4 years	2 years
49.2	Top Fuel Front Wing Assembly	5 years	not mentioned	not mentioned	4 years	4 years	2 years
54.1	Coatings	N/A	not mentioned	not mentioned	annual Recoating	annual Recoating	annual Recoating
61.1	Turbochargers – P/M	5 years	not mentioned	not mentioned	2 years	2 years	2 years

1): Cars built to the latest SFI specification only need to be inspected once. This inspection is valid until the specification is updated, the chassis was damaged or there is a change of ownership of the car.